

Samsung Podcasts RSS Spec_v2.0

September 2021



Confidentiality Notice

This document is provided to you solely in your capacity as a partner of Samsung Electronics Co. Ltd. as part of Samsung Podcast initiative. The information contained herein is confidential and subject to the confidentiality restrictions contained in the Non Disclosure Agreement signed by your organization with Samsung. By receiving this document you agree to keep the information confidential and not to use the information for any purpose other than in your capacity as a partner of Samsung Electronics Co. Ltd. This document and the information contained here may be disseminated within your organization only on a need-to-know basis to enable your participation in Samsung Podcast.

Introduction

The purpose of this document is to provide technical guidelines to podcasters for optimal exposure of their RSS feeds on Samsung Podcasts.

Notes

- Submitting feeds to Samsung Podcasts will not prevent submission to other platforms.
- Samsung Podcasts will not re-cache or re-host audio content.
- These guidelines are meant to reflect requirements used by other standard podcast platforms.





RSS Feed Requirements

Feed Requirements: Podcast

"Podcast" is defined as an ordered collection of episodes. A podcast must:

- Be described by a valid RSS feed that conforms to RSS 2.0 specifications ullet
- Be freely reachable, not requiring login, token, or similar information \bullet
- Be uniquely defined by its URL ullet

Samsung Podcasts will use podcast metadata accessed via URL. Podcasters will need to ensure that artwork files are valid, reachable, and accurate.

Samsung Podcasts may choose to cache artwork and metadata to optimize performance, but will not cache or re-host audio data.

Unreachable or uninterpretable RSS feeds will be disabled by Samsung Podcasts.

Please ensure that explicit words in Podcast titles and descriptions are censored in your metadata before submitting. Failure to censor explicit words could result in suspension of content from the platform.

Feed Requirements: Episode

"Episode" is defined as an audio segment expressed through an audio file. Podcast episodes must:

- \bullet new or changed)
- Be freely reachable, not requiring login, token, or similar information ullet
- Provide a supported audio file format (mp3, m4a, aac, wav, ogg) ullet

Samsung Podcasts will use episode metadata accessed via URL and episode <guid> field. Podcasters will need to ensure that audio and artwork files are valid, reachable, and accurate.

Samsung Podcasts may choose to cache episode artwork and metadata to optimize performance, but will not cache or re-host audio data.

Please ensure that explicit words in episode titles and descriptions are censored in your metadata before submitting. Failure to censor explicit words could result in suspension of content from the platform.

Be uniquely defined by its <guid> field (Samsung Podcasts will handle an episode as new if the GUID is



Podcast Fields

Supported and Required Podcast Fields

Priority Key: 0 = required; 1 = optional

Source (RSS) Field	Definition and Use	Priority	Notes
<title></td><td>Podcast title</td><td>0</td><td></td></tr><tr><td><itunes:summary> or
<description></td><td>Long description of a podcast</td><td>0</td><td></td></tr><tr><td><pubDate></td><td>Date of publishing</td><td>0</td><td>Format: RFC 2822
If missing, the published date of the newest
episode will be used.</td></tr><tr><td><itunes:subtitle></td><td>Podcast subtitle</td><td>1</td><td></td></tr><tr><td><link></td><td>URL that links to a podcast's
homepage</td><td>1</td><td>Podcast homepage, different from the RSS fee
URL.
Since <link> can be missing or not unique
across all podcasts, the RSS Feed URL will be
used to globally identify a Podcast.</td></tr><tr><td><author> or <itunes:author></td><td>Podcast Author name</td><td>0</td><td>Samsung Podcasts will search for <author>
first. If not specified, <itunes:author> will be
used.</td></tr><tr><td><itunes:owner>
<itunes:name>
</itunes:owner></td><td>Owner name</td><td>1</td><td></td></tr></tbody></table></title>			



Supported and Required Podcast Fields (cont.)

Priority Key: 0 = required; 1 = optional

Source (RSS) Field	Definition and Use	Priority	Notes
<itunes:owner> <itunes:email> </itunes:email></itunes:owner>	Owner email	1	
<language></language>	Language code	0	Format: II-cc with II from ISO 639-1 and cc from ISO 3166-2. This field is required so that Samsung Podcasts can serve relevant content to users globally.
<itunes:explicit></itunes:explicit>	Whether the content of the entire podcast is explicit	1	If specified as "yes", "explicit", or "true", Samsung Podcasts will treat content as explicit
<itunes:image href=""> =OR= <image/> <url></url> </itunes:image>	URL of the image/artwork associated with the entire podcast	1	



Supported and Required Podcast Fields (cont.)

Priority Key: 0 = required; 1 = optional

Source (RSS) Field	Definition and Use	Priority	Notes
<itunes:category> or <itunes:category text=""></itunes:category></itunes:category>	Podcast category	0	See next page.
sequence of <item></item>	Array of podcast episodes	0	Episodes will be sorted by default by <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>
<media:restriction type="country" relationship= "allow"></media:restriction 	Countries to distribute podcast	1	 Use ISO-3166-2 country codes to specify countries to allow distribution. If field not in the feed, assume global distribution. Search for this tag in <channel> for podcast-level restriction, and in <item> for episode-level restriction, and in <item> for episode-level. If the tag is found at both levels, the episode-level distribution will take priority for that episode.</item></item></channel> Supported countries (subject to change): us, uk, fr, it, es, de, ch, at Note: type="uri" and type="sharing" are not supported. relationship="dot-sharing" is also not supported.



Podcast Categories

Samsung Podcasts will support the following categories:

- Arts
- Business
- Comedy
- Education
- Fiction
- Government
- Health & Fitness

- History
- Kids & Family
- Leisure
- Music
- News
- Religion & Spirituality
 True Crime

- Samsung Podcasts will automatically detect the first recognized category specified in the RSS feed.
- Subcategories (itunes:category tags within itunes:category tags) will not be used.

- Science
- Society & Culture
- Sports
- TV & Film
- Technology

st recognized category specified in the RSS feed. category tags) will not be used.



Episode Fields

Supported and Required Episode Fields

Priority Key: 0 = required; 1 = optional

Source (RSS) Field	Definition and Use	Priority	Notes
<title></td><td>Episode title</td><td>0</td><td></td></tr><tr><td><itunes:summary> or
<description></td><td>Description of the episode</td><td>0</td><td></td></tr><tr><td><guid></td><td>Identifier that (uniquely)
identifies the episode globally
(as in the RSS feed)</td><td>0</td><td>Could be a UUID, URL of episode homepage
or similar, gid:// identifier, etc
The <enclosure url> value might be used for
<guid> if latter not specified.</td></tr><tr><td><pubDate></td><td>Date of publishing</td><td>0</td><td>Format: RFC 2822</td></tr><tr><td><itunes:explicit></td><td>Whether the content of the episode is explicit</td><td>1</td><td>If specified as "yes", "explicit", or "true",
Samsung Podcasts will treat content as
explicit.</td></tr><tr><td><itunes:image href=""> or
<image>

<url></url>
</image></td><td>URL of the image/artwork
associated with the episode</td><td>1</td><td>The podcast artwork (from <image>) will be used if the episode <image> is not present.</td></tr><tr><td><itunes:duration> or
<duration></td><td>Duration in seconds</td><td>0</td><td>Format: hh:mm:ss / mm:ss / sssss (any number of seconds)</td></tr><tr><td><pre><enclosure length=""></pre></td><td>Audio file length in bytes</td><td>1</td><td></td></tr></tbody></table></title>			



Supported and Required Episode Fields

Priority Key: 0 = required; 1 = optional

Source (RSS) Field	Definition and Use	Priority	Notes
<enclosure type=""></enclosure>	Content type	0	
<enclosure url=""></enclosure>	URL of the audio file	0	
<media:restriction type="country" relationship= "allow"></media:restriction 	Countries to distribute episod	e 1	 Use ISO-3166-2 country codes to specify countries to allow distribution. If field not in the feed, assume global distribution. Search for this tag in <channel> for podcast-level restriction, and in <item> for episode-level restriction, and in <item> for episode-level. If the tag is found at both levels, the episode-level distribution will take priority for that episode.</item></item></channel> Supported countries (subject to change): us, uk, fr, it, es, de, ch, at Note: type="uri" and type="sharing" are not supported. relationship="dot-deny" is also not supported.





References

Referenced Documentation

- RSS 2.0: <u>http://cyber.law.harvard.edu/rss/rss.html</u>
- RFC 2822: <u>http://www.faqs.org/rfcs/rfc2822.html</u> •
- ISO 639-1: https://en.wikipedia.org/wiki/ISO_639-1 •
- ISO 3166-2: https://en.wikipedia.org/wiki/ISO_3166-2 •
- Media Restriction by Country: <u>https://www.rssboard.org/media-rss#media-restriction</u> •



Thank You